

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1598	3/24/2016	Persistent air pollution from George's Shoe Repair on the ground floor of apartment building. My neighbor who lives above the shop is most affected and cannot sleep. The odors are from burning rubber, and using glues and solvents, etc. Work is done in the early mornings, between 7am and 10:30am.	Odor	1306 U Street NW	1	Inspection conducted, no violations discovered	Email
1585	3/31/2016	Buses at school bus lot are turned on and idled from 6AM until at least 7AM every school day. there are almost 100 buses running at the same time. please investigate after spring break.	Engine Idling	2115 5th Street NE	5	Action pending	311 App
1584	3/31/2016	At about 4:30 pm on Thursday the 31st of March there is a very noticeable odor from the autobody shop on the 2700 block of Evarts St. NE.	Paint Shop	2626 Evarts Street	5	Inspection conducted, no violations discovered	Email
1583	3/31/2016	We're getting heavy fines from Challenger Cab on Evarts St NE, please send an inspector asap.	Paint Shop	2626 Evarts Street	5	Inspection conducted, no violations discovered	Email
1582	3/30/2016	Tour buses idling on Connecticut Avenue NW in front of UDC (4200 block) and in front of Days Inn (440 block). School buses on Connecticut Avenue NW are idling between Albemarle and Chesapeake Streets NW.	Engine Idling	4200 Connecticut Avenue NW	3	Inspection conducted, no violations discovered	Phone call
1581	3/29/2016	Concerned about indoor air quality inside apartment. Thinks the issue is a mold issue due to water from AC unit.	Other	749 Park Road NW	1	No inspection conducted, referred to other program	Phone call
1580	3/29/2016	Dead animal smell coming from garage area of 615-617 Girard Street NE, in alley. continuous odor for at least the past week.	Other	617 Girard Street NE	5	No inspection conducted, referred to other program	311 App
1579	3/28/2016	Multiple dog in the rear of the house. Dog urine and feces.	Other	3411 Brothers Place SE	8	No inspection conducted, referred to other program	311 App
1578	3/28/2016	Complainant is concerned about possible toxic fumes in her apartment due to a repair in the HVAC closet. The complainant feels that the foam sealant used to seal openings in the closet is toxic, and may be off-gassing volatile organic compounds.	Other	1100 21st Street, NE #112	5	No inspection conducted, referred to other program	Phone call

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1577	3/23/2016	Our neighbor's backyard is full of everyday household garbage that they don't put out for garbage collection. Their pile of full trash bags is growing and so is the extreme stench, making our backyard unuseable.	Odor	1650 F Street NE	6	No inspection conducted, referred to other program	311 App
1576	3/24/2016	I went on my first run today in quite some time. Maine Ave was completely filled with buses. I was happy that none of the buses were idling; however, I couldn't believe that one bus was parked in front of one of our fire hydrants.	Engine Idling	1101 6th Street SW	6	Inspection conducted, no violations discovered	Email
1575	3/23/2016	I am just behind a taxi cub / car dealer address 2838 Bladensburg rd who has multiple licences. I am concern because, I believe the taxi cub company is painting out in the open. I can not seat and enjoy my back yard because of the heavy odor paint fume coming out of the location. My kids are an able to play in the yard. I can't open my windows to get a fresh air. I am concern for the health of my kids as well as the surrounding neighbors.	Paint Shop	2838 Bladensburg Road NE	5	Inspection conducted, resolution pending	Email
1574	3/24/2016	The Louis' emergency generator continues to run outside the permitted hours. It's running now, so we contacted the Louis' front desk concierge to ask that it be turned off. However, her response was that we call back at 10 AM when their sales office opens... The unit has been running for approximately 25 minutes and the odor from the fumes is perceptible inside our home. Running the unit for prolonged periods intensifies the nuisance of the fumes and the noise.	Odor	1920 14th Street NW	2	Inspection conducted, resolution pending	Email
1573	3/24/2016	We're getting heavy fumes from one of the shops in our corner of Ward 5.	Odor	2626 Evarts Street NE	5	Inspection conducted, no violations discovered	Email

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1572	3/25/2016	Single-family home being renovated. Complainant says that significant dust is being created by workers grinding/sanding/cutting masonry on the exterior of the building. Complainant informed me that workers are leaving trash & construction debris outside of the property.	Dust	5818 5th Street, NW	4	Inspection conducted, no violations discovered	Phone call
1571	3/23/2016	Complainant says that a single-family home on her block is having an exterior renovation involving masonry installation which includes the sanding/grinding of masonry materials causing clouds of dust to migrate to adjacent properties and public space. Complainant would like an inspector to investigate.	Dust	3033 Cleveland Avenue, NW	3	Inspection conducted, no violations discovered	Phone call
1570	3/22/2016	Residents have several bins out front overflowing with un-bagged trash and food waste smell from garbage left out front.	Odor	341 Elm Street NW	1	No inspection conducted, referred to other program	311 App
1569	3/23/2016	Construction dust and materials flying into the air as part of a demolition, they are not hosing it down or using any precautions whatsoever. Causing everyone in my building to cough and be sick. There is what seems like asbestos in the air and it needs to be covered and hosed down. Cars in the area COATED in dust. M St NW & 25th St NW.	Dust	2445 M Street NW	2	Inspection conducted, no violations discovered	311 App
1568	3/23/2016	Repaving road, after removing pavement the area is not waters causing severe dust whenever cars drive over the uncovered road.	Dust	MLK between Lancaster and Blue Plains Rd SW	8	Inspection conducted, no violations discovered	Other
1567	3/22/2016	This site has been inspected by DCRA and was found to be compliant with their demolition/raze permit, but there is a complaint about dust by the neighboring office building. Access to the site is easiest from the L St alley North (L St is one-way to the East), just before 16th St.	Dust	1108 16th Street NW	2	Inspection conducted, no violations discovered	Email
1566	3/22/2016	Construction causing a lot of dust, no water, not contained. L St, between 15th & 16th. St NW	Dust	1030 15th Street NW	2	Inspection conducted, no violations discovered	Phone call
1565	3/22/2016	Sewer smell from muddy water at the site of 1251 F st NE.	Odor	1251 F Street NE	6	No inspection conducted, referred to other program	311 App

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1564	3/21/2016	A level (1) complaint has been received for Jewel New Beginning. Clement would like for you to make this your #1 priority tomorrow morning. The entire apartment complex had mold and asbestos. Children were still attending during the construction. There were some children sick during this time because of the conditions of the building.	Asbestos	4309 3rd Sreet SE	8	Inspection conducted, no violations discovered	Email
1563	3/21/2016	Idling commuter buses at the RFK parking lots. Can we reach out to parking attendants or staff at site to provide education? Please have the inspector get the names of the bus companies and look for no-idling signs.	Engine Idling	2400 E Capitol St SE	7	Inspection conducted, no violations discovered	Email
1562	3/21/2016	Engine idling of tour buses. There is a whole fleet of buses idling their engines, and they have been doing this all night and the city has done nothing. It sounds like thunder. Again--ALL NIGHT.	Engine Idling	833 L Street NE	6	Inspection conducted, no violations discovered	311 App
1561	3/18/2016	The neighbor at 828 12th Street NE has broken cars, trash and junk in his backyard. Terminix has come out to our house and told us to report the neighbors because rats are living under his cars. When the rats die it smells pretty terrible.	Odor	828 12th Street NE	6	No inspection conducted, referred to other program	311 App
1560	3/17/2016	Engine idling. This truck had been idling his engine at Oates & Montello Ave NE since 6:30am.	Engine Idling	1329 Montello Avenue NE	5	Inspection conducted, no violations discovered	Twitter
1559	3/15/2016	Painting odors in area, not sure which shop the odors are coming from.	Odor	2626 Evarts Street NE	5	Inspection conducted, resolution pending	Phone call
1558	3/15/2016	Odor bodily waste. The CFPB building is being renovated. Homeless people were camping in the Liberty Plaza/breezeway section of the building. The construction company put up a fence so now they have hung tarps between the fence & the (now closed) CVS.	Odor	1716 G Street NW	2	No inspection conducted, referred to other program	311 App
1557	3/15/2016	Possible dust issues related to a project by Capitol Paving of DC, Inc., in the 2200 block 16th and the 1500 block W Street, NE.	Dust	2200 16th Street NE	5	Inspection conducted, no violations discovered	Email

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1556	3/14/2016	Mud, gravel & construction-related waste (debris) is being washed directly down the storm drain. Complainant stated that a construction worker is using a large water hose to force this material into the storm drain. Lafayette Elementary school is currently undergoing a renovation.	Other	5701 Broadbranch Road, NW	3	No inspection conducted, referred to other program	Phone call
1555	3/13/2016	Residents on Virginia Avenue are suffering from something in the air in their home. Possibly related to construction of Virginia Avenue Tunnel.	Odor	323 Virginia Ave SE	6	Inspection conducted, no violations discovered	Email
1554	3/10/2016	Engine idling on the E Street Expressway in front of 2301 E Street NW. On a daily basis, commuter buses from Maryland and Virginia park and idle, usually for more than an hour or more.	Engine Idling	2301 E Street NW	2	Inspection conducted, no violations discovered	Email
1553	3/14/2016	DC have a law against constant idling? Buses idle at Mst/NoMA metro every weekend.	Engine Idling	200 Florida Ave NE	6	Inspection conducted, no violations discovered	Twitter
1552	3/13/2016	Concerned about dust from grinding operations at condominium building.	Dust	3014 Dent Place NW	2	No action required	Phone call
1551	3/12/2016	Concerned about odors from painting at Challenger Cab.	Paint Shop	2626 Evarts Street	5	Inspection conducted, no violations discovered	Phone call
1550	3/13/2016	I am downwind of Costco's retail gas station at Dakota Crossong. Heavy heavy gasoline smell. I wonder if their equipment malfunctioning.	Gas Station	2441 Market St NE	5	Inspection conducted, no violations discovered	Email
1549	3/12/2016	We're getting fumes from Challenger Cab today.	Paint Shop	2626 Evarts Street	5	Inspection conducted, no violations discovered	Email
1548	3/10/2016	Painting from a body shop that conducts painting operations in an alleyway near Earl Pl and Bladensburg Road.	Paint Shop	3001 Earl Place NE	5	Inspection conducted, no violations discovered	Email
1547	3/11/2016	construction going on at the corner of 16th and Kramer Street NE, big plume of dust.	Dust	617 16th Street NE	6	Inspection conducted, no violations discovered	Phone call
1546	3/10/2016	Complainant said that asbestos work is being conducted in the office building where he works. Complainant said that the building has multiple entrances, but only one sign has been posted at the least used rear door. Complainant informed me that the tenants were not properly notified.	Asbestos	5151 Wisconsin Avenue, NW	2	Inspection conducted, resolution pending	Phone call

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1545	3/8/2016	Complainant is concerned about dust-like particles floating in his apartment unit. Complainant said that he informed management but they did not address the issue. Complainant thinks that the dust-like material is coming from the furnace supply register. He would like an inspector to investigate.	Other	2303 14th Street, NW	1	No inspection conducted, referred to other program	Phone call
1544	3/8/2016	Complainant is concerned about a very strong odor coming from a construction site located at South Dakota Ave. & Fort Totten. A major development is being constructed. Complainant said the odor is causing residents headaches and breathing difficulties.	Odor		5	Inspection conducted, no violations discovered	Phone call
1543	3/3/2016	Concerned about an odor within the apartment.	Odor	814 Maryland Avenue NE	6	No inspection conducted, referred to other program	Phone call
1542	3/5/2016	Concrete trucks idling on the corner of 8th and Pennsylvania SE for 30+ minutes at a time. There have been concrete trucks idling on 8th for hours now.	Engine Idling	701 Pennsylvania Avenue SE	6	Inspection conducted, no violations discovered	Email
1541	3/4/2016	Complainant said that Tour buses are idling for long periods of time (hours) on the H street bridge directly behind Union Station. Complainant said that the buses are there everyday. Complainant thinks that the buses are commuter buses that transport workers to and from the city during weekdays.	Engine Idling	H Street Bridge behind Union Station	6	Inspection conducted, no violations discovered	Phone call
1540	3/4/2016	Can 5301 Connecticut Ave. NW be checked for both lead paint and asbestos. It is an old building that is currently undergoing demolition and is near a childcare center.	Asbestos	5301 Connecticut Avenue NW	3	Inspection conducted, no violations discovered	Email
1539	3/4/2016	Complainant informed me that extensive renovation work is being conducted in the kitchen and bathroom of the business office. Complainant is concerned that asbestos is being disturbed without the proper safety protocols. Complainant also said that workers were not wearing personal protective equipment; no containment; no signage; no notification, etc.	Asbestos	500 N Street, SW	6	Inspection conducted, resolution pending	Phone call

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1538	3/1/2016	Complainant is concerned about an asbestos abatement project at her place of employment (1100 G Street, NW). Certified Business Services has a permit to abate floor tile and mastic. No abatement has been conducted at this time. Only set-up (prep) of the regulated work area has begun. Abatement is scheduled to begin tonight.	Asbestos	1100 G Street, NW	2	Inspection conducted, no violations discovered	Phone call
1537	3/2/2016	The concrete plant was generating dust like crazy. It was unbelievable. It looked like a sand storm down there.	Dust	1601 South Capitol Street SW	6	Inspection conducted, no violations discovered	Email
1536	3/2/2016	Abandoned private property with growing pile of trash and other debris in the rear or property. Problem is smelly and attracting rodents. Requesting city clean it and lean it due to absentee owner. This property has been neglected for last 6 to 9 months.	Odor	355 Parkland Place SE	8	No inspection conducted, referred to other program	311 App
1535	3/1/2016	Commercial building being gutted. Complainant said that piles of trash/debris is stacked outside of the building without fencing or signage. Complainant is concerned about exposure to asbestos/lead.	Asbestos	5301 Connecticut Avenue, NW	3	Inspection conducted, no violations discovered	Phone call
1534	2/26/2016	Dust from construction site on L NW between 16th and 15th. At the beginning of the process, they used fire hoses to keep down the dust, but they seem to have stopped doing that this week. Now it looks like dust storms are routinely blowing up L St.	Dust	1150 15th Street, NW	2	Inspection conducted, no violations discovered	Email
1533	2/25/2016	Engine idling. Construction trucks at Skanska DC Water Project parking lot at 174 Bryant Street NW.	Engine Idling	174 Bryant Street NW	5	Inspection conducted, no violations discovered	311 App
1532	2/27/2016	Concerned about paint fumes from Challenger Cab.	Odor	2626 Evarts Street	5	Inspection conducted, no violations discovered	Phone call
1531	2/28/2016	Concerned about dust from construction site on the 800 block of 7th Street NE.	Dust	820 7th Street NE	6	Inspection conducted, no violations discovered	Email

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1530	2/26/2016	Complainant is concerned about exposure to chemical fumes. Apparently the apartment unit (# 1006) above the complainant's unit had hardwood flooring replaced/repared. The chemicals used in the process are off-gassing. The complainant is concerned about her health (headache) as she has been exposed to this odor for eight days.	Odor	4101 Cathedral Avenue, NW	3	Inspection conducted, issue resolved	Phone call
1529	2/22/2016	There has been construction at 3549 11th street NW, Washington, DC. I started smelling a strong chemical smell recently and have developed headaches and fatigue. I live in the basement unit next to this construction site.	Odor	3549 11th Street NW	1	Inspection conducted, no violations discovered	Email
1528	2/23/2016	Engine idling at 810 1ST Street NE. Taxis taking up lane on H St bridge at union station. Not a taxi stand.	Engine Idling	810 1st Street NE	6	Inspection conducted, no violations discovered	311 App
1527	2/23/2016	Complainant said that asbestos material is exposed in the hallway of her apartment complex. This case was referred to AQD from Lead & Healthy Housing (Angela Blackwell).	Asbestos	3033 16th Street, NW	1	Inspection conducted, resolution pending	Other
1526	2/23/2016	Concerned about indoor air quality issues due to smoking inside of apartment building.	Other			No inspection conducted, issue resolved	Phone call
1525	2/19/2016	Construction Crew Blowing Styrofoam Everywhere at 1348-1356 Florida Ave NE.	Other	1348 Florida Avenue NE	5	Inspection conducted, no violations discovered	Email
1524	2/22/2016	I witnessed the 3 buses below idling at the stop. I have no idea how much of this goes on throughout the day, but it happens consistently in the AM during morning rush. (#6514 7:35 AM; #5307 8 AM; #7221 8:08 AM). Northbound side of 14th St at Emerson, NW	Engine Idling	1400 Emerson Street NW	4	Inspection conducted, no violations discovered	Email
1523	2/18/2016	Concerned about mold within apartment (3726 Connecticut Avenue NW #405)	Other	3726 Connecticut Avenue NW	3	No inspection conducted, referred to other program	Phone call
1522	2/16/2016	Foam Insulators truck, idling for over an hour in front of 316 Quintana Place NE. Not a recurring issue.	Engine Idling	316 Quintana Place NE	4	No action required	311 App

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1521	2/16/2016	Engine idling. Metrobuses idling on 14th St., NW Northbound at the corner of Emerson St, NW. With increasing frequency buses are idling at the stop sign and clogging traffic right at a crosswalk near an elementary school and at a metro bus stop. Today at 8:20 AM bus #5307 was idling and it was an extra large bus.	Engine Idling	1400 Emerson Street NW	4	Inspection conducted, no violations discovered	Email
1520	2/12/2016	Engine idling on corner of 4th St and Madison St NW. Every weekday morning a number of Bridj busses idle along the street for up to a half hour between 645 and 730 each weekday morning as they use this location as a staging ground before they pick up rides. Please investigate, their engines are loud.	Engine Idling	331 Madison Street NW	4	Inspection conducted, no violations discovered	311 App
1519	2/15/2016	The generator is being ran today that is expelling a cloud of smoke of noxious fumes as it has done numerous occasions in the past this is the initial reason for my complaints several months ago the fumes penetrate my apartment when that happens I have no available means of ventilation. Spoke with Ms. Angela Conyer (property manager 202-682-9395) and she suggested that the complainant contact her office. [MJO]	Odor	1221 M Street NW	2	No action required	Email
1518	2/12/2016	Renovation project with dust/insulation materials and related debris migrating to adjacent properties and public spaces without containing the area to prevent migration. Complainant is concerned about possible asbestos exposure.	Asbestos	1508 E Street, NE	6	Inspection conducted, no violations discovered	Phone call
1517	2/12/2016	Accumulation of dust from construction work conducted at townhouse next door since 2 days ago. She has talked to the construction supervisor. The complainant has a particle meter, indicating high levels; so, she is concerned about her kids. She is observing a lot of dust from today's construction work.	Dust	1975 Biltmore Street, NW	1	Inspection conducted, warning issued	Phone call

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1516	2/9/2016	<p>Right Hour Auto Sales is often spray painting vehicles without proper ventilation or permits. I have witnessed this activity and can smell and hear the spray painting. The smell of chemicals and spray paint is routinely strong and travels over the entire block and into my house.</p> <p>Complaint forwarded by EPA R3. Complaint received by EPA on 2/9/16, conducted inspection on 2/10/16.</p>	Odor	2201 Channing Street NE	5	Inspection conducted, resolution pending	Email
1515	2/10/2016	<p>Tour buses idling outside of the Washington Hilton. One group will pull in and idle for a while, then leave and another replaces them. This current group has been idling for at least 20 minutes.</p>	Engine Idling	1919 Connecticut Avenue NW	1	Inspection conducted, no violations discovered	Email
1514	2/10/2016	<p>at 3220 Connecticut Ave. NW on various floors and in the basement. Major renovations have gone on in the building for weeks, with residents living in the building. Today in the fourth floor hallway there were especially noxious fumes. There has also been varying amounts of dust in the hallway since construction began. The building management company has warned us there is lead and asbestos present in the building. Workers do not have any special ventilation or air purifying equipment in place at this time. Doors to apartments that have had the walls completely torn out are being left open while work occurs and after hours, allowing for dust and fumes to enter the hallway.</p> <p>Could DOEE verify:</p> <ul style="list-style-type: none"> -There is no lead or asbestos hazard to residents in the building because of the dust from the construction. -Construction workers are taking proper steps to maintain safe air quality in the building, given the dust and the fumes from 	Asbestos	3220 Connecticut Avenue NW	3	No action required	Email

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1513	2/9/2016	Asbestos. 1727 Massachusetts Ave. Unit-072. Major renovations will be done this summer, and he's concerned that his children might become exposed to lead dust during and after the renovation work. Complaint forwarded by EPA R3.	Asbestos	1727 Massachusetts Avenue NW	2	No inspection conducted, issue resolved	Email
1512	2/9/2016	concrete was poured into the main drain of the subject building. The property management, Borger Management, Inc., was informed (202-898-1880 / #200, 1111 14th Street, NW). DC Water is working on replacing the main drain; meanwhile, vapors have been accumulated since then. The complainant is concern about the air quality within her unit. 02-12-16 - Joanna Vivanco contacted Property Manager, Marc Borger of Borger Management, Inc., via phone at 202-898-1880. Marc explained that the incident reported to occur in October 2015, when concrete was poured in the main drain, created a crack in the sewer line and sewer odors have entered into the building HVAC system since then. A black flow preventive device was installed; however, the odors have not been mitigated. "Two and a half months ago", DC Water and Sewer Authority was informed and site visit has been re-scheduled due to the weather conditions. Repairs by DC Water and Sewer Authority are now scheduled for February 13, 2016. The complainant was informed by phone	Other	1328 14th Street, NW	2	No inspection conducted, referred to other program	Phone call
1511	2/9/2016	Odor. Residents constantly leave out overflowing and unbagged trash along this block. Likely the source of smell.	Odor	408 Elm Street NW	1	Inspection conducted, no violations discovered	311 App
1510	2/8/2016	I just went by the Right Auto property 10 minutes ago and the smell of paint fumes is overwhelming, and you can easily hear them spraying paint behind closed doors.	Odor	2201 Channing Street NE	5	Inspection conducted, resolution pending	Email
1509	2/8/2016	Concerned about indoor air quality issues in condominium building.	Other			No inspection conducted, referred to other program	Phone call

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1508	2/8/2016	Metrobus idling at the corner of 14th and Emerson Streets NW. DOEE sent warning to WMATA via online complaint system.	Engine Idling	1400 Emerson Street NW	4	Inspection conducted, no violations discovered	Phone call
1507	2/2/2016	I could smell paint odor emanating from Right Hour Auto Sales. The current time is 8:56 PM and while I can't see because the garage bay is semi closed, I can smell paint. Along with the smell of paint I can also hear the air compressor going.	Odor	2201 Channing Street NE	5	Inspection conducted, no violations discovered	Email
1506	1/29/2016	Indoor air. Concerned about air quality in a school. Would like the agency to conduct air quality testing.	Other			No inspection conducted, issue resolved	Email
1505	1/30/2016	Odor. Painting fumes from Challenger Cab.	Odor	2626 Evarts Street	5	Inspection conducted, no violations discovered	Phone call
1504	2/1/2016	This is not about odor but since this application does not have a complaint about excessive noise after normal hours. This PEACE club is a constant noise problem. Every Sunday we have to endure this. Right now it is 1:38 am and they have their music blasting super loud. Can anyone advise on how to get them to stop that?	Other	2634 Georgia Avenue NW	1	No inspection conducted, referred to other program	311 App
1503	2/1/2016	Engine idling. Bridj commuter bus idling at the corner of 4th St NW & Madison St NW	Engine Idling	327 Madison street NW	4	Inspection conducted, no violations discovered	311 App
1502	2/29/2016	Engine idling. Truck has been idling on Wisconsin for over 90 minutes, not a recurring issue.	Engine Idling	3030 Wisconsin Avenue NW	3	No inspection conducted, issue resolved	311 App
1501	2/1/2016	Damage exposed pipe insulation suspect to contain asbestos within work-out area, corridor and dormitory. Obvious visible black mold is reported on exposed pipe insulation within the work-out area.	Asbestos	601 Howard Place, NW	1	No inspection conducted, issue resolved	Phone call
1500	1/28/2016	Odor. Generator in the area of my balcony was used the fumes are strong. Please investigate and re-inspect the generator at 1221 M street NW It is omitting noxious fumes again. Will call Property Director (Jose Flora 240-882-1702) to set up time to inspect generator.	Odor	1221 M Street NW	2	Inspection conducted, no violations discovered	Email

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1499	1/28/2016	Odor. Concerned about odor from trash not being picked up on street in front of 2604 Rhode Island Avenue NE. Passed on trash pick up request to DPW via 311 system.	Odor	2604 Rhode Island Avenue NE	5	No inspection conducted, referred to other program	311 App
1498	1/27/2016	Engine idling. 6 dc government snow plow trucks parked engine idling in residential street -- for snow removal operation on Kilbourn pl, nw between 17th st & 18th st, nw. caller is very concerned about health & environment.	Engine Idling	1770 Kilbourne Place NW	1	Inspection conducted, no violations discovered	311 App
1497	1/27/2016	Engine idling. Concerned about engine idling at the corner of 14th and Irving Streets NW.	Engine Idling	1369 Irving Street NW	1	Inspection conducted, no violations discovered	Phone call
1496	1/26/2016	Odor. Concerned about odors from painting operations at Challenger Cab.	Odor	2626 Evarts Street	5	Inspection conducted, no violations discovered	Phone call
1495	1/27/2016	Mold. Concerned about mold in his apartment.	Other			No inspection conducted, referred to other program	Phone call
1494	1/26/2016	Odor. We are getting fumes today; the streets in our neighborhood are clear enough for the bodyshop to be open for business, so I hope you can get an inspector out here asap.	Paint Shop	2626 Evarts Street	5	Inspection conducted, no violations discovered	Email
1493	1/20/2016	Dust from "pointing" of condominium building. Concerned that tools with vacuum capacity will be used instead of draping to control dust. Renovation work has not started yet, will call when work starts.	Dust			No action required	Phone call
1492	1/20/2016	Painting odors from Challenger Cab.	Odor	2626 Evarts Street	5	Inspection conducted, resolution pending	Email
1491	1/19/2016	Dust from construction of a house. Specifically worried about lead in paint.	Dust		1	Inspection conducted, no violations discovered	Phone call
1490	1/19/2016	Indoor Air. Concerned about indoor air pollution from demolition project in an apartment building. #405 Sedgwick Gardens, 3726 Connecticut Avenue NW.	Other	3726 Connecticut Avenue NW	3	No inspection conducted, referred to other program	Phone call
1489	1/15/2016	Engine idling. Maine Ave from Arena Stage to the Tidal Basin in SW DC. Every day, buses are idling along Maine Ave in this area. Not all the buses do it, but there are always some buses that are idling.	Engine Idling	1101 6th Street SW	6	Inspection conducted, warning issued	Email

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1488	1/16/2016	Engine idling. Tour buses idling in front of the Washington Hilton. Martz tour buses idling and completely blocking the travel lanes of T Street NW.	Engine Idling	1919 Connecticut Avenue NW	1	Inspection conducted, warning issued	Email
1487	1/13/2016	Indoor Air. Concerned about indoor air quality issues within office space.	Other			No inspection conducted, issue resolved	Phone call
1486	1/12/2016	Dust from a building that is being demolished at 4012 Edmunds Street, NW.	Dust	402 Edmunds Street NW	3	Inspection conducted, warning issued	Email
1485	1/12/2016	We have heavy fumes in the air this morning. Please send an inspector to Everts St NE and Vista St NE asap.	Odor	2626 Everts Street	5	Inspection conducted, no violations discovered	Email
1484	1/11/2016	Renovation work in the residence next door has taken over a year. Plaster walls are being removed, as part of the renovation, a throw through the windows from upper floors (3-story duplex-home) to open dumpster on the ground level, creating large amount of dust. The renovation work stopped for about two months and resumed on January 4, 2016. Residence is reported to be built in 1927. The complainant has talked to the owner of the subject residence, requesting to bag the debris. The owner has promised to meet the request, but it is implemented for only one day after the complaint.	Dust	3718 Massachusetts Avenue, NW	3	Inspection conducted, no violations discovered	Phone call
1483	1/11/2016	We are deeply concerned about the amount of dust and dirt from the Insight Property construction site between 6th and 7th H Street, NE. The organization isn't taking any measures to monitor the air quality or amount of dirt, dust, and grime at the site. The cars have several layers of dirt after only being parked for a couple of hours. There are dust clouds coming down the street.	Dust	800 7th Street, NE	5	Inspection conducted, no violations discovered	Email
1482	1/11/2016	Smoke. Smoke in the area of Fort Lincoln park NE. Possible source concrete plants in Maryland across the DC border.	Other	3400 Commodore Joshua Barney Drive NE	5	Inspection conducted, no violations discovered	Twitter
1481	1/11/2016	Engine idling. 801 Pennsylvania Avenue SE	Engine Idling	801 Pennsylvania Avenue SE	6	Inspection conducted, warning issued	311 App

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1480	1/8/2016	Indoor Air. Smoke and odors toward the complainant's home, coming from the restaurant in the first floor of the same building, 849 Upshur Street, NW (Cuzzin's) - Lack of exhaust. Complainant has left message to the owner of the restaurant located at 849 Upshur Street, NW; no response received from the owner. Smoke comes anytime during the day. Odors also come from 851 Upshur Street NW.	Other	849 Upshur Street, NW	1	No inspection conducted, referred to other program	Phone call
1479	1/9/2016	Engine idling. Shuttle bus (International Limousine) in parking lot around 801 Michigan Avenue NE.	Engine Idling	801 Michigan Avenue NE	5	Inspection conducted, no violations discovered	311 App
1478	1/7/2016	Indoor Air. Occupants complain about getting ill, so the complainant suspects of Indoor Air Quality Issue. This is a new building.	Other	899 North Capitol Street, NE		No inspection conducted, referred to other program	Phone call
1477	1/7/2016	Engine idling. There are FOUR cars taking up the entire turn lane on Pennsylvania Ave between 11th and 12th dropping off their kids. Private vehicles are exempt from engine idling law.	Engine Idling	1201 Pennsylvania Avenue NW	2	No action required	311 App
1476	1/6/2016	Mold. Concerned about mold issues within apartment	Other			No inspection conducted, referred to other program	Phone call
1475	1/6/2016	Engine Idling. Complainant says that large trucks begin arriving at 7:00 am and the engines are idling for over an hour while the trucks wait for a load...lots of debris (mud, gravel) left in the street. Townhome complex being built in the 3300 block of 7th Street, NE	Engine Idling	3300 Block of 7th Street, NE	5	Inspection conducted, no violations discovered	Phone call
1474	1/4/2016	Dust issues from construction conducted in the 800 block of 7th Street NE. Dust getting into public space and neighbor property.	Dust	800 7th Street NE	6	Inspection conducted, no violations discovered	Phone call

Department of Energy and Environment (DOEE) - Air Quality Complaints and Outcomes (2016 Q1)

Record ID	Date of Complaint	Nature of Complaint:	Source Category	Location of Complaint	Ward	Resolution	Case Origin
1473	1/4/2016	<p>Indoor Air. A few months ago, we started noticing a rancid smell in the hallways and units on the 3rd, 4th ,5th and 6th floor of our building.</p> <p>Our building management has spent a great deal of effort trying to solve the problem but nothing has worked. Right as this started, we had construction going on in the building for the build out of a new La-z-boy store. In November, I witnessed a contractor for La-z-boy dumping buckets of concrete into the municipal storm drains behind our apartment. I recorded it on video and now the DC DPW is investigating it. The contact person at DPW is Anita Chavis (202-576-9404). I don't know if the two are connected but the timing seems very suspicious.</p>	Other	1328 14th Street NW	1	No inspection conducted, referred to other program	Email
1472	1/4/2016	Smoke. Starting at 7:00 pm, a lot of smoke from an unknown source. Seems more intense at higher levels, near 6th floor. Possible source is Marriott Hotel or residential fireplaces.	Other	2700 Woodley Road NW	3	Inspection conducted, resolution pending	Phone call
1471	1/2/2016	Odors from painting operations at Challenger Cab	Odor	2626 Evarts Street	5	Inspection conducted, no violations discovered	Phone call
1470	1/1/2016	Concerned about asbestos tiles in her house.	Asbestos			No inspection conducted, issue resolved	Phone call
1469	1/2/2016	The body shop on Evarts is painting, and the fumes are incredible. I realize an inspector cannot be dispatched, but will you please send someone Monday, first thing?	Odor	2626 Evarts Street	5	Inspection conducted, no violations discovered	Email